

Operational Report: Announced Allocation

Bowen Broken WSS

Effective: 1 July 2023

| | Abbreviation | Value | Unit | Remarks |
|--|--------------|---------|-------|---------|
| High A1 Priority Announced Allocation | AAhA1 | 100 | % | |
| High A2 Priority Announced Allocation | AAhA2 | 100 | % | |
| Medium Priority Announced Allocation | AAm | 100 | % | |
| Eungella Dam (ED) | | | | |
| Elevation of Eungella | EL ED | 562.508 | m AHD | |
| Storage Volume of ED | SV ED | 110,769 | ML | |
| Storage Area of ED | SA ED | 841 | ha | |
| Storage Loss of ED | SL ED | 17,179 | ML | |
| Dead Storage Volume of ED | DSV ED | 1,240 | ML | |
| Useable Volume of ED | UV ED | 92,350 | ML | |
| Gattonvale Offstream Storage (GOSS) | | | | |
| Elevation of GOSS | EL GOSS | 159.39 | m AHD | |
| Storage Volume of GOSS | SV GOSS | 4,160 | ML | |
| Storage Area of GOSS | SA GOSS | 64 | ha | |
| Storage Loss of GOSS | SL GOSS | 1,307 | ML | |
| Dead Storage Volume of GOSS | DSV GOSS | 152 | ML | |
| Useable Volume of GOSS | UV GOSS | 2,854 | ML | |
| Bowen River Weir (BRW) | | | | |
| Elevation of BRW | EL BRW | 125.74 | m AHD | |
| Storage Volume of BRW | SV BRW | 943 | ML | |
| Storage Area of BRW | SA BRW | 45 | ha | |
| Storage Loss of BRW | SL BRW | 921 | ML | |
| Dead Storage Volume of BRW | DSV BRW | 1 | ML | |
| Useable Volume of BRW | UV BRW | 22 | ML | |
| Additional Parameters | | | | |
| High A1 Priority Water Allocation | HA1 | 11,649 | ML | |
| High A2 Priority Water Allocation | HA2 | 21,605 | ML | |
| Medium Priority Water Allocation | M | 5,676 | ML | |
| Reserve Volume | RE | 0 | ML | |
| Reserve for High A2 priority water allocations | REHA2 | 7,226 | ML | |
| Transmission and Operational Allowance | TOA | 5,812 | ML | |
| Transmission and Operational Allowance for HPA | TOAH | 3,883 | ML | |
| Use | DIV | 0 | ML | |
| Use for HA1 | DIVHA1 | 0 | ML | |
| Use for HA2 | DIVHA2 | 0 | ML | |