

# Operational Report: Announced Allocation

## Nogoa Mackenzie WSS

Effective: 1 July 2021

	Abbreviation	Value	Unit	Remarks
High Priority Announced Allocation	AAh	74	%	
Medium Priority Announced Allocation	AAm	0	%	
<b>Fairbairn Dam</b>				
Elevation	EL	193.56	m AHD	
Storage Volume		216,639	ML	
Storage Area		5,912	ha	
Storage Loss	SL	98,140	ML	
Dead Storage Volume	DSV	12,300	ML	
Useable Volume	UV	106,200	ML	
<b>Bedford Weir</b>				
Elevation	EL	122.80	m AHD	
Storage Volume		17,973	ML	
Storage Area		370	ha	
Storage Loss	SL	6,549	ML	
Dead Storage Volume	DSV	3,290	ML	
Useable Volume	UV	8,134	ML	
<b>Bingegang Weir</b>				
Elevation	EL	102.94	m AHD	
Storage Volume		8,060	ML	
Storage Area		250	ha	
Storage Loss	SL	4,425	ML	
Dead Storage Volume	DSV	1,400	ML	
Useable Volume	UV	2,235	ML	
<b>Tartus Weir</b>				
Elevation	EL	80.33	m AHD	
Storage Volume		8,428	ML	
Storage Area		228	ha	
Storage Loss	SL	4,033	ML	
Dead Storage Volume	DSV	2,530	ML	
Useable Volume	UV	1,864	ML	
<b>Additional Parameters</b>				
High Priority Allocation	HPA	46,127	ML	
Medium Priority Allocation	MPA	185,732	ML	
Net Total Volume of water allocation moved into current water year	VIWY	75,000	ML	Carry Over: 75,000 Forward Draw: 0
Inflow Allowance	IN	0	ML	
Reserve Volume	RE	56,830	ML	

	Abbreviation	Value	Unit	Remarks
Transmission and Operational Losses	TOL	9,371	ML	
Use	USE	0	ML	Carry Over Diversions: 0

Phone: 13 15 89

Email: [customersupport@sunwater.com.au](mailto:customersupport@sunwater.com.au)

Visit: [www.sunwater.com.au](http://www.sunwater.com.au)

Page 2 of 2

**Delivering water for prosperity**