

Operational Report: Announced Allocation

Upper Burnett WSS (excluding John Goleby Weir)

Effective: 1 July 2023

Combined results for Wuruma, Kirar and Jones Subschemes (with same AA)

	Abbreviation	Value	Unit	Remarks
High Priority Announced Allocation	AAh	100	%	
Medium Priority Announced Allocation	AAm	100	%	
Wuruma Dam				
Elevation	EL	226.95	m AHD	
Storage Volume		144,591	ML	
Storage Area		1,475	ha	
Storage Loss	SL	17,594	ML	
Dead Storage Volume	DSV	2,430	ML	
Useable Volume	UV	124,567	ML	
Kirar Weir				
Elevation	EL	151.56	m AHD	
Storage Volume		6,923	ML	
Storage Area		161	ha	
Storage Loss	SL	1,236	ML	
Dead Storage Volume	DSV	21	ML	
Useable Volume	UV	5,666	ML	
Jones Weir				
Elevation	EL	109.78	m AHD	
Storage Volume		3,313	ML	
Storage Area		157	ha	
Storage Loss	SL	1,329	ML	
Dead Storage Volume	DSV	10	ML	
Useable Volume	UV	1,973	ML	
Additional Parameters				
High Priority Allocation	HPA	530	ML	
Medium Priority Allocation	MPA	30,723	ML	
Net Total Volume of water allocation moved into current water year	VIWY	614	ML	Carry Over: 614 Forward Draw: 0
Inflow Allowance	IN	4,766	ML	
Reserve Volume	RE	265	ML	
Transmission and Operational Losses	TOL	3,130	ML	
Transfer Volume out of Wuruma Dam	TR	16,000		
High Priority Diversions	DIVh	0	ML	Carry Over Diversions: 0
Medium Priority Diversions	DIVm	0	ML	

Claude Wharton sub-scheme

	Abbreviation	Value	Unit	Remarks
High Priority Announced Allocation	AAh	100	%	
Medium Priority Announced Allocation	AAm	100	%	
Claude Wharton Weir				
Elevation	EL	92.65	m AHD	
Storage Volume		7,418	ML	
Storage Area		261	ha	
Storage Loss	SL	2,227	ML	
Dead Storage Volume	DSV	120	ML	
Useable Volume	UV	5,071	ML	
Available Volume		92.65	ML	
Additional Parameters				
High Priority Allocation	HPA	850	ML	
Medium Priority Allocation	MPA	15,037	ML	
Net Total Volume of water allocation moved into current water year	VIWY	301	ML	Carry Over: 301 Forward Draw: 0
Inflow Allowance	IN	1,351	ML	
Reserve Volume	RE	500	ML	
Transmission and Operational Losses	TOL	3,861	ML	
Transfer Volume into Claude Wharton Weir	TR	16,000	ML	
High Priority Diversions	DIVh	0	ML	Carry Over Diversions: 0
Medium Priority Diversions	DIVm	0	ML	