

Announced Allocation

The Boyne River and Tarong WSS Announced Allocation for Medium Priority (MP) allocations is 100% (8 months). The 8 months is an estimation of when the MP cutoff level of the storage may be reached. To track this level, see the link below for the Boondooma Dam Forecast Tool.

Boondooma Dam Storage Forecast Model


SunWater’s water storage forecast tool allows customers to examine 12 month outlooks for future storage volumes in Boondooma Dam. The tool forecasts the future 12 month dam volumes for two different inflow scenarios. The first scenario shows the dam volume that could be expected under average monthly inflows while the second scenario shows the dam volume that might be possible under minimum monthly inflows that have been experienced for Boondooma Dam.

Announced Allocation
 As at 01.07.2017
 HP 100%
 MP 100% (8 months)

Boondooma Dam
Full Supply Capacity
 204,200 ML
Minimum Operating Level
 8,360 ML
Capacity @ 01.10.2017
 100,076 ML (49%)
Volume Released YTD (TW Gauge)
 3,330ML @ 30.09.2017

Usage YTD @ 30.09.2017
Allocation – 8,171ML

AS AT 19 OCTOBER 2017:	
Scenario	Forecast Storage Volume on 1 July 2018
Based on average monthly inflows	147,807ML or 72.38%
Based on minimum monthly inflows	58,019ML or 28.41%
Estimated date for 70,000ML cutoff (based on minimum inflows)	1 April 2018



Boondooma Dam Forecast Tool: http://www.sunwater.com.au/_data/storageforecast/Forecast_Portal.htm#B
Irrigator Advisory Committee: <http://www.sunwater.com.au/schemes/boyne-river-tarong/scheme-information/iac>
How to read your Invoice: http://www.sunwater.com.au/_data/assets/pdf_file/0008/22949/Guide_to_Reading_Your_Invoice_-_And_Statement.pdf

Email – customersupport@sunwater.com.au
 Phone – 13 15 89

Fax – (07) 3120 0249
 Address – PO Box 15536, City East Qld 4002