

Announced Allocation

The Barker Barambah WSS Announced Allocation has been reviewed effective 01.10.2017 as such the current announcement remains unchanged. The announcement will be reviewed again on 01.01.2018 or if there is a major inflow into Bjelke Petersen Dam.

Carryover

Carryover loss for the second quarter has been applied to your water account as per the Guidelines on the Carryover Application Form. You can review your current balance via logging into SunWaterOnline or calling 13 15 89.

Bjelke-Petersen Dam Storage Forecast Model

SunWater’s water storage forecast tool allows customers to examine 12 month outlooks for future storage volumes in Bjelke-Petersen Dam. The tool forecasts the future 12 month dam volumes for two different inflow scenarios. The first scenario shows the dam volume that could be expected under average monthly inflows while the second scenario shows the dam volume that might be possible under minimum monthly inflows that have been experienced for Bjelke-Petersen Dam.

Announced Allocation


As at 01.10.2017
 HP - 100%
 MP - 17%

Bjelke Petersen Dam

Full Supply Capacity
 134,900 ML
Minimum Operating Level
 1,000 ML
Capacity @ 01.10.2017
 23,638 ML (17.5%)
Volume Released YTD (TW Gauge)
 16,684ML @ 30.09.2017

Usage YTD @ 30.09.2017
Allocation – 3,483ML

AS AT 17 October 2017:	
Scenario	Forecast Storage Volume on 1 July 2018
Based on average monthly inflows	58,386ML or 43.28%
Based on minimum monthly inflows	14,344ML or 10.63%



Bjelke-Petersen Dam Forecast Tool: www.sunwater.com.au/_data/storageforecast/Forecast_Portal.htm#BPD
Irrigator Advisory Committee: <http://www.sunwater.com.au/schemes/barker-barambah-water-supply-scheme/scheme-information/iac>
How to read your Invoice: http://www.sunwater.com.au/_data/assets/pdf_file/0008/22949/Guide_to_Reading_Your_Invoice_-_And_Statement.pdf

Email – customersupport@sunwater.com.au
 Phone – 13 15 89

Fax – (07) 3120 0249
 Address – PO Box 15536, City East Qld 4002