

OPERATIONAL REPORT – ANNOUNCED ALLOCATION
DAWSON VALLEY WATER SUPPLY SCHEME – UPPER DAWSON SUBSCHEME
EFFECTIVE – 31 January 2016

| | Abbreviation | Value | Unit | Remarks | |
|--|--------------|--------|-------|----------------------|------|
| High Priority Announced Allocation | AAh | 100% | | | |
| Medium Priority Announced Allocation | AAm | 69% | | | |
| Medium A Priority Announced Allocation | AAma | 89% | | | |
| Glebe Weir | | | | | |
| Elevation | EL | 171.22 | m AHD | | |
| Storage Volume | | 17,700 | ML | | |
| Storage Area | | 542 | ha | | |
| Storage Loss | SL | 5,366 | ML | | |
| Dead Storage Volume | DSV | 430 | ML | | |
| Useable Volume | UV | 11,904 | ML | | |
| Gyranda Weir | | | | | |
| Elevation | EL | 157.11 | m AHD | | |
| Storage Volume | | 15,974 | ML | | |
| Storage Area | | 372 | ha | | |
| Storage Loss | SL | 3,681 | ML | | |
| Dead Storage Volume | DSV | 2,120 | ML | | |
| Useable Volume | UV | 10,173 | ML | | |
| Theodore Weir | | | | | |
| Elevation | EL | 133.70 | m AHD | | |
| Storage Volume | | 4,760 | ML | | |
| Storage Area | | 100 | ha | | |
| Storage Loss | SL | 990 | ML | | |
| Dead Storage Volume | DSV | 750 | ML | | |
| Useable Volume | UV | 3,020 | ML | | |
| Moura Offstream Storage | | | | | |
| Elevation | EL | 125.20 | m AHD | | |
| Storage Volume | | 2,756 | ML | | |
| Storage Area | | 74 | ha | | |
| Storage Loss | SL | 733 | ML | | |
| Dead Storage Volume | DSV | 140 | ML | | |
| Useable Volume | UV | 1,883 | ML | | |
| Moura Weir | | | | | |
| Elevation | EL | 104.90 | m AHD | | |
| Storage Volume | | 7,700 | ML | | |
| Storage Area | | 202 | ha | | |
| Storage Loss | SL | 2,000 | ML | | |
| Dead Storage Volume | DSV | 600 | ML | | |
| Useable Volume | UV | 5,100 | ML | | |
| Additional Parameters | | | | | |
| High Priority Allocation | HPA | 4,581 | ML | | |
| Medium Priority Allocation | MPA | 29,331 | ML | | |
| Medium A Priority Allocation | MAPA | 19,339 | | | |
| Net Total Volume of water allocation moved into current water year | VIWY | 0 | ML | Carry Over | 5060 |
| | | | | Forward Draw | 0 |
| Inflow Allowance | IN | 1,379 | ML | | |
| Inflow of treated CSG | INCSG | 290 | ML | | |
| Reserve Volume | RE | 1,379 | ML | | |
| Transmission and Operational Losses | TOL | 1,235 | ML | | |
| Unsupplemented use of treated CSG | UCSG | 0 | ML | | |
| Diversions | DIV | 11,030 | ML | Carry Over Diversion | 3167 |