

**OPERATIONAL REPORT – ANNOUNCED ALLOCATION**  
**DAWSON VALLEY WATER SUPPLY SCHEME – Upper Dawson subscheme**  
**EFFECTIVE – 23 January 2017**

	Abbreviation	Value	Unit	Remarks	
High Priority Announced Allocation	<b>AAh</b>	100%			
Medium Priority Announced Allocation	<b>AAm</b>	56%			
Medium A Priority Announced Allocation	<b>AAma</b>	76%			
<b>Glebe Weir</b>					
Elevation	<b>EL</b>	167.97	m AHD		
Storage Volume		7,618	ML		
Storage Area		273	ha		
Storage Loss	<b>SL</b>	2,699	ML		
Dead Storage Volume	<b>DSV</b>	430	ML		
Useable Volume	<b>UV</b>	4,489	ML		
<b>Gyranda Weir</b>					
Elevation	<b>EL</b>	155.96	m AHD		
Storage Volume		12,022	ML		
Storage Area		316	ha		
Storage Loss	<b>SL</b>	3,126	ML		
Dead Storage Volume	<b>DSV</b>	2,120	ML		
Useable Volume	<b>UV</b>	6,776	ML		
<b>Theodore Weir</b>					
Elevation	<b>EL</b>	133.52	m AHD		
Storage Volume		4,656	ML		
Storage Area		99	ha		
Storage Loss	<b>SL</b>	976	ML		
Dead Storage Volume	<b>DSV</b>	750	ML		
Useable Volume	<b>UV</b>	2,931	ML		
<b>Moura Offstream Storage</b>					
Elevation	<b>EL</b>	124.92	m AHD		
Storage Volume		2,558	ML		
Storage Area		71	ha		
Storage Loss	<b>SL</b>	703	ML		
Dead Storage Volume	<b>DSV</b>	140	ML		
Useable Volume	<b>UV</b>	1,716	ML		
<b>Moura Weir</b>					
Elevation	<b>EL</b>	104.66	m AHD		
Storage Volume		7,525	ML		
Storage Area		199	ha		
Storage Loss	<b>SL</b>	1,968	ML		
Dead Storage Volume	<b>DSV</b>	600	ML		
Useable Volume	<b>UV</b>	4,957	ML		
<b>Additional Parameters</b>					
High Priority Allocation	<b>HPA</b>	4,581	ML		
Medium Priority Allocation	<b>MPA</b>	29,331	ML		
Medium A Priority Allocation	<b>MAPA</b>	19,339			
Net Total Volume of water allocation moved into current water year	<b>VIWY</b>	0	ML	Carry Over	0
				Forward Draw	0
Inflow Allowance	<b>IN</b>	1,379	ML		
Inflow of treated CSG	<b>INCSG</b>	300	ML		
Reserve Volume	<b>RE</b>	1,379	ML		
Transmission and Operational Losses	<b>TOL</b>	979	ML		
Unsupplemented use of treated CSG	<b>UCSG</b>	0	ML		
Diversions	<b>DIV</b>	15,320	ML	Carry Over Diversion	0