

**OPERATIONAL REPORT – ANNOUNCED ALLOCATION**  
**DAWSON VALLEY WATER SUPPLY SCHEME – Upper Dawson subscheme**  
**EFFECTIVE – 01 NOVEMBER 2017**

	Abbreviation	Value	Unit	Remarks	
High Priority Announced Allocation	<b>AAh</b>	100%			
Medium Priority Announced Allocation	<b>AAm</b>	15%			
Medium A Priority Announced Allocation	<b>AAma</b>	35%			
<b>Glebe Weir</b>					
Elevation	<b>EL</b>	168.59	m AHD		
Storage Volume		9,441	ML		
Storage Area		325	ha		
Storage Loss	<b>SL</b>	3,216	ML		
Dead Storage Volume	<b>DSV</b>	430	ML		
Useable Volume	<b>UV</b>	5,795	ML		
<b>Gyranda Weir</b>					
Elevation	<b>EL</b>	152.85	m AHD		
Storage Volume		5,115	ML		
Storage Area		151	ha		
Storage Loss	<b>SL</b>	1,491	ML		
Dead Storage Volume	<b>DSV</b>	2,120	ML		
Useable Volume	<b>UV</b>	1,504	ML		
<b>Theodore Weir</b>					
Elevation	<b>EL</b>	133.60	m AHD		
Storage Volume		4,732	ML		
Storage Area		100	ha		
Storage Loss	<b>SL</b>	986	ML		
Dead Storage Volume	<b>DSV</b>	750	ML		
Useable Volume	<b>UV</b>	2,996	ML		
<b>Moura Offstream Storage</b>					
Elevation	<b>EL</b>	123.32	m AHD		
Storage Volume		1,577	ML		
Storage Area		52	ha		
Storage Loss	<b>SL</b>	517	ML		
Dead Storage Volume	<b>DSV</b>	140	ML		
Useable Volume	<b>UV</b>	920	ML		
<b>Moura Weir</b>					
Elevation	<b>EL</b>	104.76	m AHD		
Storage Volume		7,700	ML		
Storage Area		202	ha		
Storage Loss	<b>SL</b>	2,000	ML		
Dead Storage Volume	<b>DSV</b>	600	ML		
Useable Volume	<b>UV</b>	5,100	ML		
<b>Additional Parameters</b>					
High Priority Allocation	<b>HPA</b>	4,581	ML		
Medium Priority Allocation	<b>MPA</b>	29,231	ML		
Medium A Priority Allocation	<b>MAPA</b>	19,339			
Net Total Volume of water allocation moved into current water year				Carry Over	2304
	<b>VIWY</b>	0	ML	Forward Draw	0
Inflow Allowance	<b>IN</b>	1,555	ML		
Inflow of treated CSG	<b>INCSG</b>	0	ML		
Reserve Volume	<b>RE</b>	1,555	ML		
Transmission and Operational Losses	<b>TOL</b>	641	ML		
Unsupplemented use of treated CSG	<b>UCSG</b>	0	ML		
Diversions	<b>DIV</b>	0	ML	Carry Over Diversion	361