

**OPERATIONAL REPORT – ANNOUNCED ALLOCATION  
DAWSON VALLEY WATER SUPPLY SCHEME – LOWER DAWSON SUBSCHEME  
EFFECTIVE – 1 January 2016**

	<b>Abbreviation</b>	<b>Value</b>	<b>Unit</b>	<b>Remarks</b>	
High Priority Announced Allocation	<b>AAh</b>	100%			
Medium Priority Announced Allocation	<b>AAm</b>	86%			
<b>Neville Hewitt Weir</b>					
Elevation	<b>EL</b>	80.15	m AHD		
Storage Volume		10,286	ML		
Storage Area		244	ha		
Storage Loss	<b>SL</b>	2,414	ML		
Dead Storage Volume	<b>DSV</b>	720	ML		
Useable Volume	<b>UV</b>	7,152	ML		
<b>Additional Parameters</b>					
High Priority Allocation	<b>HPA</b>	1,098	ML		
Medium Priority Allocation	<b>MPA</b>	7,388	ML		
Net Total Volume of water allocation moved into current water year	<b>VIWY</b>	0	ML	Carry Over	706
				Forward Draw	0
Inflow Allowance	<b>IN</b>	47	ML		
Reserve Volume	<b>RE</b>	47	ML		
Transmission and Operational Losses	<b>TOL</b>	454	ML		
USE	<b>USE</b>	731	ML	Carry Over Diversion	31
Essential Water needs		0	ML		