



TRANSFER CONDITIONS UPPER CONDAMINE WATER SUPPLY SCHEME

These local transfer conditions are to be read in conjunction with the conditions as set out on the Temporary Transfer Application Form.

Loss Adjustments

Under normal conditions there are no loss adjustments for the scheme. SunWater will advise applicants if a loss adjustment will be required.

Trading Caps

- Depending on the travel time required for the delivery of the water the Temporary Transfer application form may need to be submitted up to 20 working days before the end of the water year (but no later than 5 days prior to the end of the water year). ie An Application would be refused if it was submitted 20 June and it would take 18 days travel time to deliver the water as it cannot be delivered and used within the current water year.
- Carryover is not available in the Upper Condamine scheme.
- The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application.
- Temporary transfers may be approved if the location of the seller and buyer are the same.
- Temporary transfers may be approved if the location of the seller and the buyer are different:
 - Where the seasonal assignment applies to high class A priority and is
 - (i) to a downstream location, or between zones UCS-03 and UCS-04-
 - (a) The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application.
 - (b) The volume made available is reduced by a volume determined by the transmission and operational allowance methodology under section 160 (A) of the Condamine Balonne Resource Operation Plan.
 - (ii) to an upstream location-
 - (a) The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application.
 - Where the seasonal assignment applies to a medium priority or risk class B priority and is
 - (i) to a downstream location, or between zones UCS-03 and UCS-04-
 - (a) The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application.
 - (b) The volume made available is reduced to provide for transmission losses by the percentage established on Table 1.
 - (ii) to an upstream location-
 - (a) The maximum volume the seller may transfer cannot exceed the volume available on the seller's water account at the time of application.

Table 1: Transmission loss factor for seasonal water assignments of medium priority and risk class B priority water allocations.

From zone (location)	To zone (location)			
	UCS-01	UCS-02	UCS-03	UCS-04
USC-01	Nil	10%	30%	30%
USC-02	Nil	Nil	20%	20%
USC-03	Nil	Nil	Nil	Nil
USC-04	Nil	Nil	Nil	Nil

Transfer Adjustment Fee

A Transfer Adjustment Fee, equal to the value of SunWater's applied irrigation price subsidy, will be payable where water is transferred from a regulated irrigation pricing use to a non-irrigation use. It is the responsibility of the parties to any such transfer to contact SunWater to ascertain this fee in advance of settlement.

A Transfer Adjustment Fee, equal to the value of any other SunWater subsidy or discount to full commercial pricing, will also be payable where water is transferred from any other subsidised use to a non-subsidised use. Again, it is the responsibility of the parties to any such transfer to contact SunWater to ascertain this fee in advance of settlement.

Other

Additional restrictions on temporary transfers may be applied, for example, in extremely dry conditions or when there is a marked transfer of water to high loss areas, at SunWater's discretion