

Parameter Family	Monitoring Event Frequency	Parameters	Units	Quality Limit (Max)	Date Sampled											
					7/04/2025	14/04/2025	22/04/2025	28/04/2025	6/05/2025	12/05/2025	19/05/2025	26/05/2025	2/06/2025	9/06/2025	16/06/2025	23/06/2025
Disinfection Byproducts	Quarterly	Bromochloroacetonitrile	ug/L	0.7	#N/A	#N/A	#N/A	#N/A	<0.5	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Bromodichloromethane	ug/L	6	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Quarterly	Bromoform	ug/L	100	#N/A	#N/A	#N/A	#N/A	2	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Chloroform (Trichloromethane)	ug/L	200	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Dibromochloromethane	ug/L	100	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
Endocrine Disrupting Compounds	Annually	Dichloroacetonitrile	ug/L	2	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Nonylphenol	ug/L	500	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
Industrial Organics	Annually	Bisphenol A	ug/L	200	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
Inorganics	Quarterly	Bromide	mg/L	7	#N/A	#N/A	#N/A	#N/A	0.291	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Cyanide	mg/L	0.08	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Weekly	Iodide	mg/L	0.1	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Metals	Monthly	Aluminium	mg/L	0.2	<0.005	#N/A	#N/A	#N/A	0.005	#N/A	#N/A	#N/A	0.01	#N/A	#N/A	#N/A
	Annually	Antimony	mg/L	0.003	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Biannually	Arsenic	mg/L	0.007	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Weekly	Barium	mg/L	2	0.0013	0.0012	0.0012	0.0013	0.0012	0.0015	0.0014	0.0014	0.0056	0.0032	0.0018	0.0016
	Monthly	Cadmium	mg/L	0.002	<0.00005	#N/A	#N/A	#N/A	<0.00005	#N/A	#N/A	#N/A	<0.00005	#N/A	#N/A	#N/A
	Biannually	Chromium (VI)	mg/L	0.05	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Quarterly	Copper	mg/L	2	#N/A	#N/A	#N/A	#N/A	<0.0005	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Monthly	Iron	mg/L	0.3	0.01	#N/A	#N/A	#N/A	0.005	#N/A	#N/A	#N/A	0.011	#N/A	#N/A	#N/A
	Quarterly	Lead	mg/L	0.01	#N/A	#N/A	#N/A	#N/A	<0.0001	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Quarterly	Manganese	mg/L	0.5	#N/A	#N/A	#N/A	#N/A	0.0026	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Monthly	Mercury	mg/L	0.001	<0.0001	#N/A	#N/A	#N/A	<0.0001	#N/A	#N/A	#N/A	<0.0001	#N/A	#N/A	#N/A
	Quarterly	Molybdenum	mg/L	0.05	#N/A	#N/A	#N/A	#N/A	<0.0001	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Monthly	Nickel	mg/L	0.02	<0.0005	#N/A	#N/A	#N/A	<0.0005	#N/A	#N/A	#N/A	<0.0005	#N/A	#N/A	#N/A
	Annually	Selenium	mg/L	0.01	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Silver	mg/L	0.1	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Monthly	Strontium	mg/L	4	0.007	#N/A	#N/A	#N/A	0.007	#N/A	#N/A	#N/A	0.007	#N/A	#N/A	#N/A
	Quarterly	Vanadium	mg/L	0.05	#N/A	#N/A	#N/A	#N/A	<0.0002	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Monthly	Zinc	mg/L	3	0.002	#N/A	#N/A	#N/A	0.006	#N/A	#N/A	#N/A	0.008	#N/A	#N/A	#N/A
Nitrosamines	Annually	N-Nitrosodimethyl-amine (NDMA)	ug/L	0.1	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
Nutrients	Weekly	Ammonia	mg/L	0.9	0.331	0.322	0.293	0.283	0.254	0.267	0.193	0.172	0.142	0.095	0.137	0.238
Polycyclic Aromatic Hydrocarbons	Annually	Benz[a]anthracene	ug/L		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Benzo(a)pyrene	ug/L		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Benzo(b&j)fluoranthene	ug/L		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Benzo(k)fluoranthene	ug/L		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Chrysene	ug/L		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Dibenzo(ah)anthracene	ug/L		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Indeno(1 2 3-cd)pyrene	ug/L		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	PAH (as B[a]P TEQ)(0.5LOR)	ug/L		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
Radionuclides	Annually	PAH (as B[a]P TEQ)(0LOR)	ug/L	0.01	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	PAH (as B[a]P TEQ)(LOR)	ug/L		#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Quarterly	Alpha Activity	Bq/L	0.5	#N/A	#N/A	#N/A	#N/A	<0.05	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
Total Petroleum Hydrocarbons	Quarterly	Beta Activity (K corrected)	Bq/L	0.5	#N/A	#N/A	#N/A	#N/A	<0.10	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Quarterly	Beta Activity (not K corrected)	Bq/L		#N/A	#N/A	#N/A	#N/A	<0.10	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Monthly	Total Petroleum Hydrocarbons (C10-C14)	ug/L		<50	#N/A	#N/A	#N/A	<50	#N/A	#N/A	#N/A	<50	#N/A	#N/A	#N/A
	Monthly	Total Petroleum Hydrocarbons (C15-C28)	ug/L		<100	#N/A	#N/A	#N/A	<100	#N/A	#N/A	#N/A	<100	#N/A	#N/A	#N/A
	Monthly	Total Petroleum Hydrocarbons (C29-C36)	ug/L		<50	#N/A	#N/A	#N/A	<50	#N/A	#N/A	#N/A	<50	#N/A	#N/A	#N/A
Volatile Organic Compounds	Monthly	Total Petroleum Hydrocarbons (C6-C9)	ug/L		<20	#N/A	#N/A	#N/A	<20	#N/A	#N/A	#N/A	<20	#N/A	#N/A	#N/A
	Monthly	Total Petroleum Hydrocarbons (C6-C36)	ug/L	200	<20	#N/A	#N/A	#N/A	<20	#N/A	#N/A	#N/A	<20	#N/A	#N/A	#N/A
	Annually	Benzene	ug/L	1	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Ethylbenzene	ug/L	300	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Meta & Para Xylenes	ug/L	600	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Ortho-Xylene	ug/L	600	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
LEGEND	Annually	Toluene	ug/L	800	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	Annually	Total Xylene	ug/L	600	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A
	#N/A	No Result Expected based on monitoring frequency			NOTES	No non compliances with Schedule A - Table 3 water quality limits were observed in this monitoring period.										
Non-compliance	Non-compliance with Schedule A - Table 3 drinking water quality limits															

Use of the data or information contained in this document is governed by the Sunwater website terms and conditions of use <https://www.sunwater.com.au/terms-and-conditions/>, and using the data indicates your acceptance of those terms and conditions.

Parameter Family	Monitoring Frequency		Parameters	Units	Quality Limit (Min)	Quality Limit (Max)	Date Sampled											
							7/04/2025	14/04/2025	22/04/2025	28/04/2025	6/05/2025	12/05/2025	19/05/2025	26/05/2025	2/06/2025	9/06/2025	16/06/2025	23/06/2025
Microbiological	Weekly		Chlorophyll a	mg/L		monitor only	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
Inorganics	Weekly		Chloride	mg/L		135	110	113	118	121	129	110	112	105	91	98.6	96.7	91.5
	Weekly		Fluoride	mg/L		0.5	0.052	0.06	0.046	0.048	0.078	0.054	0.06	0.048	0.048	0.046	0.05	0.05
	Weekly		Sodium Absorption Ratio (SAR)			6	3.99	4.48	4.19	4.17	4.83	3.93	4	3.74	3.43	3.27	3.51	3.1
	Weekly		Sulphate	mg/L		8.8	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200
	Weekly		Alkalinity	mg/L	20		35	33	28	27	30	30	27	30	28	29	29	32
Metals	Weekly		Boron	mg/L		1	0.422	0.422	0.453	0.409	0.419	0.323	0.411	0.391	0.433	0.395	0.388	0.381
	Weekly		Calcium	mg/L	6		6.6	7.1	6.9	6.3	6.9	7.2	6.5	7.1	7.4	7.1	7.2	7.1
	Weekly		Magnesium	mg/L	4.5		5.2	5.3	5.7	4.9	5.3	5.9	5.2	5.5	5.7	5.6	5.6	5.6
	Weekly		Sodium	mg/L		95	46.2	54.2	55.8	55.3	55.2	57.5	52.9	47.8	42.6	45.5	45.7	41.9
Organoleptic and Physical Parameters	Continuous		Electrical Conductivity	uS/cm		500	386	408	412	425	465	410	433	381	356	368	349	335
	Continuous		pH		6.5	8.5	7.54	7.4	7.5	7.42	7.53	7.3	7.41	7.03	7.53	7.38	7.36	7.13
	Weekly		Total Dissolved Solids	mg/L		320	214	300	264	253	255	224	222	234	212	193	194	183
	Monthly		Suspended Solids	mg/L		175	<1	#N/A	#N/A	#N/A	<1	#N/A	#N/A	#N/A	<1	#N/A	#N/A	#N/A
LEGEND	#N/A	No Result Expected based on monitoring frequency					NOTES	No non compliances with Schedule A - Table 1 water quality limits were observed in this monitoring period.										
	Non-compliance	Non-compliance with Schedule A - Table 1 water quality limits																

Use of the data or information contained in this document is governed by the Sunwater website terms and conditions of use <https://www.sunwater.com.au/terms-and-conditions/>, and using the data indicates your acceptance of those terms and conditions.