

# Operational Report: Announced Allocation

## Bowen Broken WSS

Effective: 1 July 2020

	Abbreviation	Value	Unit	Remarks
High A1 Priority Announced Allocation	AAhA1	100%	%	
High A2 Priority Announced Allocation	AAhA2	100%	%	
Medium Priority Announced Allocation	AAm	100%	%	
<b>Eungella Dam (ED)</b>				
Elevation of Eungella	EL ED	561.01	m AHD	
Storage Volume of ED	SV ED	98,633	ML	
Storage Area of ED	SA ED	784	ha	
Storage Loss of ED	SL ED	16,019	ML	
Dead Storage Volume of ED	DSV ED	1,240	ML	
Useable Volume of ED	UV ED	81,374	ML	
<b>Gattonvale Offstream Storage (GOSS)</b>				
Elevation of GOSS	EL GOSS	159.53	m AHD	
Storage Volume of GOSS	SV GOSS	4,250	ML	
Storage Area of GOSS	SA GOSS	64	ha	
Storage Loss of GOSS	SL GOSS	1,309	ML	
Dead Storage Volume of GOSS	DSV GOSS	0	ML	
Useable Volume of GOSS	UV GOSS	2,941	ML	
<b>Bowen River Weir (BRW)</b>				
Elevation of BRW	EL BRW	125.77	m AHD	
Storage Volume of BRW	SV BRW	943	ML	
Storage Area of BRW	SA BRW	45	ha	
Storage Loss of BRW	SL BRW	921	ML	
Dead Storage Volume of BRW	DSV BRW	1	ML	
Useable Volume of BRW	UV BRW	22	ML	
<b>Additional Parameters</b>				
High A1 Priority Water Allocation	HA1	11,649	ML	
High A2 Priority Water Allocation	HA2	21,605	ML	
Medium Priority Water Allocation	M	5,676	ML	
Reserve Volume	RE	0	ML	
Reserve for High A2 priority water allocations	REHA2	7,226	ML	
Transmission and Operational Allowance	TOA	5,812	ML	
Transmission and Operational Allowance for HPA	TOAH	3,883	ML	
Use	DIV	0	ML	
Use for HA1	DIVHA1	0	ML	
Use for HA2	DIVHA2	0	ML	