

Operational Report: Announced Allocation

Nogoa Mackenzie WSS

Effective: 04 March 2021

	Abbreviation	Value	Unit	Remarks
High Priority Announced Allocation	AAh	100	%	
Medium Priority Announced Allocation	AAm	22	%	
Fairbairn Dam				
Elevation	EL	193.26	m AHD	
Storage Volume		199,017	ML	
Storage Area		5,739	ha	
Storage Loss	SL	23,531	ML	
Dead Storage Volume	DSV	12,300	ML	
Useable Volume	UV	163,185	ML	
Bedford Weir				
Elevation	EL	122.80	m AHD	
Storage Volume		17,973	ML	
Storage Area		370	ha	
Storage Loss	SL	1,628	ML	
Dead Storage Volume	DSV	3,290	ML	
Useable Volume	UV	13,055	ML	
Bingegang Weir				
Elevation	EL	102.83	m AHD	
Storage Volume		7,891	ML	
Storage Area		245	ha	
Storage Loss	SL	1,078	ML	
Dead Storage Volume	DSV	1,400	ML	
Useable Volume	UV	5,413	ML	
Tartus Weir				
Elevation	EL	81.75	m AHD	
Storage Volume		12,000	ML	
Storage Area		278	ha	
Storage Loss	SL	1,222	ML	
Dead Storage Volume	DSV	2,530	ML	
Useable Volume	UV	8,248	ML	
Additional Parameters				
High Priority Allocation	HPA	46,127	ML	
Medium Priority Allocation	MPA	185,732	ML	
Net Total Volume of water allocation moved into current water year	VIWY	1,155	ML	Carry Over: 22,785 Forward Draw: 0
Inflow Allowance	IN	0	ML	
Reserve Volume	RE	102,648	ML	

	Abbreviation	Value	Unit	Remarks
Transmission and Operational Losses	TOL	3,470	ML	
Use	USE	4,861	ML	Carry Over Diversions: 21,630

Phone: 13 15 89

Email: customersupport@sunwater.com.au

Visit: www.sunwater.com.au

Page 2 of 2

Delivering water for prosperity