

# Operational Report: Announced Allocation

## Nogoa Mackenzie WSS

Effective: 1 December 2023

	Abbreviation	Value	Unit	Remarks
High Priority Announced Allocation	AAh	100	%	
Medium Priority Announced Allocation	AAm	63	%	
<b>Fairbairn Dam</b>				
Elevation	EL	196.23	m AHD	
Storage Volume		397,927	ML	
Storage Area		8,069	ha	
Storage Loss	SL	79,886	ML	
Dead Storage Volume	DSV	12,300	ML	
Useable Volume	UV	305,742	ML	
<b>Bedford Weir</b>				
Elevation	EL	123.03	m AHD	
Storage Volume		17,973	ML	
Storage Area		388	ha	
Storage Loss	SL	4,073	ML	
Dead Storage Volume	DSV	3,290	ML	
Useable Volume	UV	10,610	ML	
<b>Bingegang Weir</b>				
Elevation	EL	103.13	m AHD	
Storage Volume		8,060	ML	
Storage Area		250	ha	
Storage Loss	SL	2,625	ML	
Dead Storage Volume	DSV	1,400	ML	
Useable Volume	UV	4,035	ML	
<b>Tartrus Weir</b>				
Elevation	EL	81.75	m AHD	
Storage Volume		12,000	ML	
Storage Area		278	ha	
Storage Loss	SL	2,916	ML	
Dead Storage Volume	DSV	2,530	ML	
Useable Volume	UV	6,554	ML	
<b>Additional Parameters</b>				
High Priority Allocation	HPA	46,127	ML	
Medium Priority Allocation	MPA	185,732	ML	
Net Total Volume of water allocation moved into current water year	VIWY	66,936	ML	Carry Over: 146487 Forward Draw: 0
Inflow Allowance	IN	0	ML	
Reserve Volume	RE	85,505	ML	

	Abbreviation	Value	Unit	Remarks
Transmission and Operational Losses	TOL	11,933	ML	
Use	USE	0	ML	Carry Over Diversions: 79551

Phone: 13 15 89

Email: [customersupport@sunwater.com.au](mailto:customersupport@sunwater.com.au)

Visit: [www.sunwater.com.au](http://www.sunwater.com.au)

Page 2 of 2

**Delivering water for prosperity**